

TABLE OF CONTENTS

TABLE OF CONTENTS	i
LIST OF FIGURES	v
LIST OF TABLES	vii
ACKNOWLEDGEMENTS	viii
LIST OF ABBREVIATIONS	ix
ABSTRACT	xii
Chapter 1 Introduction	1
1.1 Background	1
1.2 Research Aim	2
1.3 Research Objectives	2
1.4 Research Questions	2
1.5 Contribution to Knowledge	3
1.6 Overview of Research Methodology	3
1.7 Structure of the Thesis	5
Chapter 2 Literature Survey	6
2.1 Introduction	6
2.2 Multicast Delivery	6
2.2.1 Benefit of Multicast Delivery	9
2.2.2 Functions of Multicast Delivery	14
2.3 Multicast Protocols in IP Networks	16
2.3.1 MLD Protocol	17
2.3.2 PIM Protocol	18
2.4 Multicast Mobility in WiFi Network	19
2.4.1 Overview of WiFi Network	19
2.4.2 Mobility in WiFi Network	20
2.4.2.1 Mobile IPv6 Protocol	20
2.4.2.2 ICMPv6 Protocol	22

2.4.3 Multicast Mobility in IPv6 WiFi Network	22
2.4.4 Multicast Mobility in UMTS Network	23
2.5 Multicast Mobility Problems in WiFi Networks	24
2.5.1 Multicast Mobility Problems	24
2.5.2 Overview of Handover Problem	26
2.5.2.1 The Handover Process	27
2.5.2.2 Handover Decision Phase	28
2.5.2.3 Handover Implementation	30
2.5.3 Handover within WiFi Networks	31
2.5.4 Multicast Handover in Wireless Networks	32
2.6 Summary	34
Chapter 3 A New Framework for Multicast Mobility in WiFi Networks	36
3.1 Introduction	36
3.2 Network Architecture	36
3.3 Protocol Overview	38
3.4 Process Diagram	39
3.5 Modify Protocol Message	45
3.5.1 PIM Protocol Message	45
3.5.2 ICMP Message	46
3.5.3 Mobile IP Message	46
3.5.4 IGMP Message	47
3.6 Summary	48
Chapter 4 A Framework Simulation in OPNET Modeler	49
4.1 Introduction	49
4.2 Network Simulation	49
4.2.1 Basic Structure within OPNET Modeler	49
4.3 Implementation of the Proposed Framework in OPNET Modeler	52
4.3.1 Network Architecture	52
4.3.2 Process Model	53
4.3.2.1 Asking CoA in Advance Process	53

4.3.2.2	Joining Multicast using CoA Address	55
4.3.2.3	Re-join Multicast	56
4.3.2.4	Keeping Multicast Route	57
4.3.2.5	Store CoA address	58
4.4	Summary	61
Chapter 5 Simulation Scenarios, Results and Evaluation		62
5.1	Introduction	62
5.2	Scenario 1: The Performance of Unicast and Multicast Mechanism	62
5.2.1	Scenario 1: Scenario Description	62
5.2.2	Scenario 1: Simulation Topology	63
5.2.3	Scenario 1: Simulation, Results and Evaluation	64
5.3	Scenario 2: Simple Network	70
5.3.1	Scenario 2: Scenario Description	70
5.3.2	Scenario 2: Simulation Topology	71
5.3.3	Scenario 2: Simulation, Results and Evaluation	72
5.4	Scenario 3: Mobile IP and multicast Re-join	73
5.4.1	Scenario 3: Scenario Description	73
5.4.2	Scenario 3: Simulation, Results and Evaluation	73
5.5	Scenario 4: Care of Address in advance	74
5.5.1	Scenario 4: Scenario Description	74
5.5.2	Scenario 4: Simulation, Results and Evaluation	75
5.6	Scenario 5: Same Multicast Group	75
5.6.1	Scenario 5: Scenario Description	75
5.6.2	Scenario 5: Network Topology	76
5.6.3	Scenario 5: Simulation, Results and Evaluation	77
5.7	Scenario 6: Multi-Hops	77
5.7.1	Scenario 6: Scenario Description	77
5.7.2	Scenario 6: Network Topology	78
5.7.3	Scenario 6: Simulation, Results and Evaluation	78
5.8	Scenario 7: Handover	82
5.8.1	Scenario 7: Scenario Description	82
5.8.2	Scenario 7: Network Topology	83

5.8.3 Scenario 7: Simulation, Results and Evaluation	83
5.9 Scenario 8: Multiple Networks	85
5.9.1 Scenario 8: Scenario Description	85
5.9.2 Scenario 8: Network Topology	86
5.9.3 Scenario 8: Simulation, Results and Evaluation	87
5.10 Scenario 9: Complex Networks	88
5.10.1 Scenario 9: Scenario Description	88
5.10.2 Scenario 9: Network Topology	89
5.10.3 Scenario 9: Simulation, Results and Evaluation	90
5.11 Scenario 9: Internet	90
5.11.1 Scenario 10: Scenario Description	90
5.11.2 Scenario 10: Network Topology	91
5.11.3 Scenario 10: Simulation, Results and Evaluation	92
Chapter 6 Conclusion and Future Work	94
6.1 Conclusion	94
6.2 Recommendation for Future Work	95
APPENDICES	96
REFERENCES	189

LIST OF FIGURES

Figure 1-1 Research Methodology	3
Figure 2-1 Comparison between Unicast, Broadcast and Multicast transmission	7
Figure 2-2 Multicast delivery	8
Figure 2-3 Multicast Tree	10
Figure 2-4 Intra-domain routing protocols	16
Figure 2-5 Mobile IPv6 Protocol	21
Figure 2-6 Tunnel convergence problem	25
Figure 3-1 Network Architecture	37
Figure 3-2 Multicast Route	39
Figure 3-3 Starting connection process	40
Figure 3-4 Request CoA in advance process	42
Figure 3-5 Request Multicast packets and keep route	43
Figure 3-6 Handover process	44
Figure 3-7 Join/Prune message format	45
Figure 3-8 ICMP message format	46
Figure 3-9 Mobile IP message format	47
Figure 3-10 IGMP message format	48
Figure 4-1 Basic Step for Creating Network Simulation	50
Figure 4-2 Node Mode example	51
Figure 4-3 Process Mode example	52
Figure 4-4 the common network topology that use in this research	53
Figure 4-5 Process Model: mobile_ip_mn	54
Figure 4-6 The coding of “Reg_adv” state	55
Figure 4-7 Process Model: IGMP host	56
Figure 4-8 The coding of “JOIN_ADV” state	56
Figure 4-9 The coding for re-join multicast	57
Figure 4-10 Process Model: PIM-PM protocol	57
Figure 4-11 The coding for keeping multicast route	58
Figure 4-12 The coding of “store_FA&RE” state	59
Figure 4-13 The coding of structure of CoA address list	60
Figure 4-14 The coding of Binding Update multiple CoA address to home agent	61

Figure 5-1 Scenario 1: Simulation Topology	64
Figure 5-2 Throughputs between Route4 and Home Agent_Access point	65
Figure 5-3 Load at Home Agent_A access point	66
Figure 5-4 CPU Utilization at Home Agent_A access point	67
Figure 5-5 Video traffic received at mobile node A compare with B	68
Figure 5-6 Video traffic received at mobile node A	69
Figure 5-7 Delay at mobile node A	70
Figure 5-8 Scenario 2 : Network Topology	71
Figure 5-9 Scenario 2 : Traffic Received at Mobile_Node_A	72
Figure 5-10 Scenario 3 : Traffic Received at Mobile_Node_A	74
Figure 5-11 Scenario 4 : Traffic Received at Mobile_Node_A	75
Figure 5-12 Scenario 5 : Network Topology	76
Figure 5-13 Scenario 5 : Traffic Received at Mobile_Node_A	77
Figure 5-14 Scenario 6 : Network Topology	78
Figure 5-15 Scenario 6 : Traffic Received at Mobile_Node_A	79
Figure 5-16 Scenario 6 : Combined traffic Received at Mobile_Node_A	80
Figure 5-17 is shown how much the extended protocols can reduce handover latency compared with standard protocols	81
Figure 5-18 is shown how much the extended protocols can reduce packet delay compared with standard protocols	82
Figure 5-19 Scenario 7 : Network Topology	83
Figure 5-20 Scenario 7 : Traffic Received at Mobile_Node_A	84
Figure 5-21 Scenario 7 : Packet Delay	85
Figure 5-22 Scenario 8 : Network Topology	86
Figure 5-23 Scenario 8 : Traffic Received at Mobile_Node_A	87
Figure 5-24 Scenario 8 : Packet Delay	88
Figure 5-25 Scenario 9 : Network Topology	89
Figure 5-26 Scenario 9 : Traffic Received at Mobile_Node_A	90
Figure 5-27 Scenario 10 : Network Topology	91
Figure 5-28 Scenario 10 : Traffic Received at Mobile_Node_A	92
Figure 5-29 Scenario 10 : Packet Delay	93

LIST OF TABLES

Table 2-1 A data rate and coverage area of wireless technologies

20