



University of  
**Salford**  
MANCHESTER

## The influence of staff training and education on prosthetic and orthotic service quality : a scoping review

Forghany, S, Sadeghi-Demneh, E, Trinler, U, Onmanee, P, Dillon, MP and Baker, RJ

<http://dx.doi.org/10.1177/0309364617718412>

<b>Title</b>	The influence of staff training and education on prosthetic and orthotic service quality : a scoping review
<b>Authors</b>	Forghany, S, Sadeghi-Demneh, E, Trinler, U, Onmanee, P, Dillon, MP and Baker, RJ
<b>Publication title</b>	Prosthetics and Orthotics International
<b>Publisher</b>	Sage
<b>Type</b>	Article
<b>USIR URL</b>	This version is available at: <a href="http://usir.salford.ac.uk/id/eprint/43412/">http://usir.salford.ac.uk/id/eprint/43412/</a>
<b>Published Date</b>	2017

USIR is a digital collection of the research output of the University of Salford. Where copyright permits, full text material held in the repository is made freely available online and can be read, downloaded and copied for non-commercial private study or research purposes. Please check the manuscript for any further copyright restrictions.

For more information, including our policy and submission procedure, please contact the Repository Team at: [library-research@salford.ac.uk](mailto:library-research@salford.ac.uk).

1 **Abstract**

2 **Study Design:** Scoping review

3 **Background:** Education and training in prosthetics and orthotics typically complies with International  
4 Society for Prosthetics and Orthotics standards based on three categories of prosthetic and orthotic  
5 professionals.

6 **Objective:** This scoping study sought to describe the evidence base available to answer the question,  
7 *How are prosthetic and orthotic services influenced by the training of staff providing them?*

8 **Methods:** A structured search of the peer-reviewed literature catalogued in major electronic  
9 databases yielded 3,039 papers. Following review of title and abstract, 93 articles were considered  
10 relevant. Full-text review reduced this number to 25.

11 **Results:** Only two articles were identified as providing direct evidence of the effects of training and  
12 education on service provision. Whilst both suggested that there was an impact it is difficult to see  
13 how the more specific conclusions of either could be generalised. The other 23 articles provide a  
14 useful background to a range of issues including the specification of competencies that training  
15 programmes should deliver (3 articles), descriptions of a range of training programmes (13) and the  
16 effects of training and education on student knowledge and skills (8).

17 **Conclusion:**

18 Although it is considered axiomatic that service quality is dependent on practitioner education and  
19 training. There is insufficient evidence to establish whether levels of training and education in  
20 prosthetics and orthotics have an effect on the quality of prosthetic and orthotic services.

21

22 **Keywords**



24 **Short title:** Education in Prosthetics and Orthotics

25

26 **Word count:** 2833 words

27

28 **Clinical Relevance Statement**

29 There is very little evidence about the effects of training and education of prosthetists and orthotists  
30 on service quality. Whilst this is a somewhat negative finding we feel that it is important to bring this to  
31 the attention of the prosthetics and orthotics community.

32

### 33 Introduction

34 Formal education in prosthetics started in the United States in the 1950s with programmes at the  
35 University of California (Los Angeles) in 1952, New York University in 1956 and Northwestern  
36 University in 1958 (1). The first national scheme for the accreditation of prosthetic and orthotic  
37 (P&O) training programmes was also developed in the United States when the American Board for  
38 Certification in Orthotics and Prosthetics (ABC) created the Educational Accreditation Commission  
39 (which has now evolved into the National Commission on Orthotic and Prosthetic Education) in 1972  
40 (2). In other countries, responsibilities for developing benchmark statements and accreditation have  
41 been developed by quasi-governmental organisations as in the National Health Service (3) and  
42 Quality Assurance Agency for Higher Education (4) in the UK.

43 International efforts to standardise training and service delivery in P&O, under the auspices of the  
44 United Nations (UN), can be traced to the *Inter-regional Seminar in Standards for Training of*  
45 *Prosthetists* in Holte, Denmark in 1968 (5). This was followed by three meetings in 1984 and 1985  
46 organised by the International Society for Prosthetics and Orthotics (ISPO) (6) and a further World  
47 Health Organization (WHO) meeting in Egypt in 1990 which resulted in the publication of *Guidelines*  
48 *for training personnel in developing countries in prosthetics and orthotics* (7). The most recent  
49 version of these guidelines (8) was prepared by a joint WHO/ISPO meeting in Scotland in 2003. This  
50 laid the foundation for the *Evaluation and Recognition* scheme operated by ISPO which has so far  
51 recognised 42 training programmes in 26 countries (9).

52 The WHO/ISPO Guidelines (8) propose three categories of P&O professional. Category I  
53 Prothesist/Orthosist is the level of professional who should ideally provide all prosthetic and  
54 orthotic services within a rehabilitation team. ISPO Category I professionals are competent in all  
55 aspects of service delivery including referral and appointment, assessment, prescription, funding and  
56 ordering, product preparation, fitting, user training, follow-up, maintenance and repairs. ISPO  
57 Category I professionals are also expected to participate in research and service development

58 activities. In countries where resources and finances are not available to train all clinical staff to this  
59 level, then training to ISPO Category II level is believed to represent a compromise that will still  
60 provide a quality service; preferably with supervision from ISPO Category I professionals for difficult  
61 cases. ISPO Category II professionals will not usually be trained in all areas of clinical practice but  
62 rather in specific areas such as lower limb prosthetics or lower limb orthotics only. ISPO Category III  
63 professionals have a technical role and support ISPO Category I or II staff in fabricating, assembling,  
64 maintaining and repairing devices. They will not, generally, have direct contact with the service user.  
65 The broad guidelines on minimum entry requirements and training were tabulated in the original  
66 WHO/ISPO Guidelines and have been reproduced as Table 1. To supplement the WHO/ISPO  
67 Guidelines, a further three *Information Packages* have been published giving detailed guidance on  
68 the level of training required for each category of professional (10-12).

69 Inherent in these developments is a recognition that, although in an ideal world prosthetic and  
70 orthotic services would be led by an ISPO Category I professional, compromises might have made to  
71 be in resource limited environments. The extent to which these compromises are required will  
72 clearly be determined by the balance between the clinical need and the resources available to  
73 address them. The recent WHO *World Report on Disability* (13) has raised the estimated percentage  
74 of the population who live with disability from 10% to 15%; equivalent to over a billion people. This  
75 is largely as a result of the ageing population and the global increase in chronic health conditions  
76 associated with disability. Further, the report concludes that disability disproportionately affects  
77 vulnerable populations with a higher prevalence in lower income countries than in higher income  
78 countries.

79 A more recent report, *Transforming and Scaling Up Health Professionals' Education and Training*  
80 (14), acknowledges a severe and global healthcare crisis. Millions of people do not have access to  
81 healthcare services, in part, because of the uneven geographical distribution of health professionals  
82 and the limited skill-mix of healthcare teams. The report calls on governments in affected countries

83 to increase capacity for training of healthcare professionals but also for new approaches to  
84 education that foster community engagement and more local service delivery.

85 Given the number of healthcare professionals required to meet the projected demand, questions  
86 about the level of training required to provide high-quality care are appropriate. In environments  
87 where resources are relatively plentiful, the assumption that more highly trained professionals will  
88 deliver higher quality services seems well accepted. However, where resources are limited it is  
89 important that we understand how increased training affects the volume and quality of service  
90 delivery to make well-informed decisions about how healthcare and education resources can be best  
91 utilised.

92 In a clinical world increasingly dominated by evidence based practice, such an analysis should be  
93 based on objective evidence published within the peer-reviewed literature. Based on a preliminary  
94 search of the literature, the authors were unaware of studies describing the effect of staff training  
95 on service-level outcomes (e.g., quality, volume) and it was thus decided that a scoping review  
96 would be appropriate to answer the question: *How are prosthetic and orthotic services influenced by*  
97 *the training of staff providing them?*

## 98 **Methods**

99 This review followed the recommendations for scoping reviews provided by Armstrong et al. (15) on  
100 behalf of the Cochrane Collaboration. Ethical approval (IR.MUI.REC.1394.211) was obtained from the  
101 Isfahan University of Medical Sciences Ethics Committee (Isfahan, Iran) prior to the study. Three  
102 databases - Medline (through OVID), Web of Science and Scopus – were searched using a  
103 combination of search terms and acronyms related to prosthetics and orthotics, service provision  
104 and education and training (Table 2). Most searches were conducted on the basis of title, keyword  
105 and abstract. However, searches related to education and training did not include an abstract search  
106 to avoid studies of patient education, as opposed to the education of healthcare professionals. The  
107 search term *prosthetic* is very widely used across healthcare (e.g., hip implants) and as such, a

108 number of exclusions were specified to improve the precision of the yield (Table 2). Given that the  
109 major developments in education and training in prosthetics and orthotics have occurred over the  
110 last twenty years, the search was limited to the years 1995 to 2015, inclusive. The final results were  
111 exported into a single Endnote® (Thomson Reuters, Philadelphia, USA) database and duplicates were  
112 removed.

113 Broad selection criteria appropriate to a scoping review were used (15). Articles were included if  
114 they provided evidence or opinion of the impact of staff training on service provision. In order to  
115 ensure that all relevant papers were included, more specific limitations (e.g., study design or  
116 outcome measures) were not used. Two of the co-authors (ES-D and SF) independently vetted  
117 studies based on title and abstract. Articles deemed irrelevant by both investigators were excluded.  
118 Three of the co-authors (ES-D, SF and RB) then assessed full text articles to identify studies for  
119 inclusion. Any disagreements were resolved through discussion leading to consensus.

120 The purpose of the review was to provide an overview of the existing literature (15) and this was  
121 achieved by identifying a number of themes that were addressed by the included papers. A  
122 narrative was then constructed for each theme describing the type of information contained in  
123 relevant articles. Given that this was a scoping review no formal analysis of quality or meta-analysis  
124 of data (15) was performed.

## 125 **Results**

126 The search yielded a total of 3,039 articles of which 93 remained after vetting based on title and  
127 abstract (see Table 2). Review of the full-text article resulted in 25 papers amongst which four  
128 predominant themes were identified: *Specifications of competencies that training programmes*  
129 *should deliver (3 articles), Descriptions of training programmes (13), Effects of training on students*  
130 *(8), Effects of training on service delivery (2)*. All except one paper (16) addressed a single theme.



131 **Specifications of competencies that training programmes should deliver.** Three articles made  
132 recommendations about the competencies that undergraduate programmes in P&O should deliver  
133 (16-18). Such recommendations arose out of research with other primary objectives and are  
134 generally quite specific to the location in which the study was performed. For example, Magnusson  
135 & Ahlstrom (18), conducted a survey of the experiences of 15 prosthetic and orthotic technicians  
136 working in Sierra Leone and concluded that there was a need for “further education and  
137 development specifically with regard to rehabilitation practice, prosthetic and orthotic design,  
138 modern technologies and rehabilitation, and prosthetic and orthotic theory”.

139 **Descriptions of training programmes.** Thirteen articles describe either existing (19-26) or planned  
140 (27-31) P&O programmes including descriptions of entire programmes (21, 24, 25, 27, 28), research  
141 residencies (29-31), and problem based (23), open (26) and distance (22) learning. Although  
142 published in peer-reviewed journals these studies are mostly descriptive presenting little qualitative  
143 or quantitative analysis of the effectiveness of the activities they describe. Thus, for example,  
144 Simpson (26) outlines the development of new post-graduate open learning opportunities but only  
145 reports the number of students registered and not whether there has been any effect on service  
146 provision as a consequence.

147 Two papers within this category (and from the same group) present comparisons of the curricula  
148 offered internationally (19, 20) by a range of programmes that have been recognised by ISPO. The  
149 first of these (19) concluded that whilst many of the core competencies required for P&O practice  
150 were similar across programmes, there was considerable variability in a range of more general  
151 learning outcomes as described in Table 3. Through a Delphi study it also “*revealed disagreement*  
152 *amongst the expert panel regarding the effectiveness of different approaches to teaching*  
153 *undergraduate P&O students*”. The later study (20) conducted a more detailed analysis of attitudes  
154 to different approaches to education. Institutions in developed countries saw students as  
155 responsible for their own learning and tended to focus on developing critical thinking skills. By

156 contrast, institutions in developing countries focussed more on skill development under close  
157 supervision from instructors. It commented that whilst student focussed approaches are now  
158 broadly accepted, they are still more common in developed countries but less common, regardless  
159 of location than *“might have been expected from the general health sciences literature”*.

160 **Effects of training on students.** Seven papers (32-39) assessed various aspects of education and  
161 training on students either by surveying student opinion (32-35, 38, 39) or evaluating differences in  
162 the attainment of learning outcomes (36, 37). Most focussed on specific aspects of curriculum  
163 development such as integrating research (32), continuing professional development (33),  
164 interprofessional education (36), training in critical thinking (37) and distance or e-learning (38, 39).  
165 The other two reported on more general aspects of undergraduate education (34, 35). These studies  
166 generally suggest that developing particular aspects of the curriculum results in improvements in  
167 learning outcomes and/or the perceived student experience. The disparate nature of the studies,  
168 however, prevents any more specific conclusions. The quality of the evidence is generally quite poor  
169 with most being of relatively small numbers of students in specific geographical contexts that limits  
170 generaliability.

171 **Effects of training on service delivery.** Two articles provide evidence relating patient outcomes to  
172 the characteristics of professional training. The first (40) highlighted differences in outcomes when  
173 health professionals from three different disciplines provided foot orthoses. Given that the primary  
174 differences between these groups were how they were trained, differences in outcomes suggest an  
175 effect of that training. Ten Dutch podiatrists, 10 pedorthists (specialists in footwear adaptations) and  
176 11 orthotists made a pair of foot orthoses for each of three patients with foot complaints. Between  
177 disciplines there was an *“extensive variation in construction of the orthoses”*, particularly between  
178 those constructed by the podiatrist and other groups. Foot orthoses provided by podiatrists reduced  
179 maximal peak pressures by smaller amounts than those from the other two professional groups ( $p$   
180  $<.001$ ) and a subjective patient reported *“walking convenience”* score also suggested lower levels of

181 satisfaction with orthoses produced by podiatrists. There were a number of limitations of this study  
182 including a very small number of patients, lack of generalisability beyond the geographic region in  
183 which the research was conducted, and the confounding effects of a difference in design principles  
184 and years of professional experience between the professional groups. In spite of these limitations,  
185 the work provides some, albeit limited evidence, that the education provided to different health  
186 professionals may lead to different outcomes.

187 The second of these studies reported on the impact on prosthetic and orthotic service delivery of  
188 the graduates (ISPO Category I or II) from the Tanzania Training Centre for Orthopaedic Technologies  
189 (TATCOT) on prosthetic and orthotic service delivered in Tanzania, Kenya and Uganda (16). The  
190 report was based on a field visit and included interviews with Ministries, Heads of Hospital Services,  
191 P&O Service Mangers, graduates and their clients. Whilst the report is essentially narrative, it  
192 presents a considerable body of qualitative, and limited quantitative, evidence of the positive  
193 contribution that graduates are now making to P&O service delivery and that their competencies  
194 generally match those stated in the relevant ISPO guidelines (11, 12). It was notable that a small  
195 number of ISPO Category I professionals were leading and developing services (although it was  
196 acknowledged that some ISPO Category II professionals were also showing potential in these areas).  
197 Whilst the report implies that improved training leads to better service provision, there is too little  
198 detail to support any more specific or generalisable conclusion.

## 199 **Discussion**

200 The primary finding of this review is that there are no studies specifically designed to establish  
201 whether levels of training and education in prosthetics and orthotics have an effect on the quality of  
202 prosthetic and orthotic services or the health outcomes of those using the service. As such, it is not  
203 known whether tailoring pre-service education to the three ISPO categories of health professional  
204 has any specific effect on the quality of service delivery.

205 There are a number of reasons why research into the effect of education on health outcomes may  
206 not have been performed. It is considered axiomatic across healthcare that service quality is  
207 dependent on practitioner education and training. This is reflected in the recent WHO Guidelines for  
208 *Transforming and Scaling up Health Professionals' Education and Training* (14) which provides no  
209 evidence that the quantity, quality and relevance of health education impacts health service  
210 outcomes but rather assumes that this is self-evident. It is also assumed that pre-service education is  
211 the only factor driving outcomes of the service despite many other influences such as the availability  
212 of resources, opportunities for continuing professional development and mentoring of junior staff as  
213 well as the culture within organisations that can promote opportunities for further education and  
214 training in the workplace.

215 Given the complexity of modern healthcare services, considerable ingenuity will be required to  
216 isolate the effects of pre-service education on the quality and quantity of service delivery. True  
217 clinical trials would require comparison between services differing only in the level of staff training.  
218 It seems unlikely that these will occur naturally or could be created artificially for research purposes.  
219 It might, however, be possible to audit of outcomes of a range of different services and use the  
220 outcomes to construct regression models to determine the extent to which these are affected by  
221 factors such as education. Including other factors in the regression models, such as general level of  
222 resources, years of experience, or models of service delivery would control for the confounding  
223 influence of these and help isolate the unique effect of education. Clearly the first stage of such an  
224 analysis would be to identify appropriate general outcome measures and start recording these as a  
225 routine component of service delivery.

226 The review also yielded a number of articles which appear to provide a broader perspective on a  
227 range of issues affecting education and training in prosthetics and orthotics such as the curriculum  
228 delivered (16-20), modes of delivery (22, 23, 26, 29-31) and their effectiveness in educating  
229 students (32-39) (as opposed to effects on service delivery). Individual studies, however, tend to be

230 of low quality and generalisability is limited by specific local factors and multiple potential  
231 confounders. Heterogeneity between studies also prevents any useful synthesis.

232 The study is a scoping review and as such is subject to the general limitation of this form of research  
233 (15) including the provisional nature of the literature search and the absence of any formal quality  
234 assessment or meta-analysis. A potential limitation of this particular scoping review may be the  
235 decision not to attempt a comprehensive search of the grey literature. It is also possible that despite  
236 any formal restriction on language that the search strategy was likely to bias results towards  
237 publications in English. The virtual absence of directly relevant papers yielded by the search of  
238 relevant electronic databases which was conducted and was specifically designed to be sensitive  
239 makes it extremely unlikely, however, that information contained in the grey or foreign language  
240 literature would lead to any more definitive conclusions.

241 The main reason for performing a scoping review is to map what information is available within the  
242 literature as a basis for assessing the usefulness and potential scope for a systematic review. It is  
243 clear from the results of this particular scoping review that there is insufficient literature available to  
244 warrant such a review in this area.

## 245 **Acknowledgment**

This study has been made possible by the generous support of the American People through the  
United States Agency for International Development (USAID) grant to the International Society of  
Prosthetics and Orthotics (ISPO) for the project: *Rehabilitation of physically disabled people in  
developing countries* (DFD-A-00-08-00309-00). Additional funding was provided by the Isfahan  
University of Medical Sciences, Iran (MUI-194211).

246

247

248 **References**

- 249 1. Hovorka C, Shurr D, Bozik D. The Concept of an Entry-Level Interdisciplinary Graduate  
250 Degree Preparing Orthotists for the New Millennium Part 1: History of Orthotic and Prosthetic  
251 Education. *Journal of Prosthetics and Orthotics*. 2002;14(2):51-8.
- 252 2. National Commission on Orthotic and Prosthetic Education. About 2016 [Available from:  
253 <http://www.ncope.org/about/>.
- 254 3. Department of Health. Meeting the challenge: a strategy for the allied health professions.  
255 A,C. London: Department of Health; 2000.
- 256 4. Quality Assurance Agency for Higher Education. Prosthetics and orthotics. A. London: Quality  
257 Assurance Agency for Higher Education; 2001. Report No.: 1858245672.
- 258 5. United Nations. Report of the United Nations inter-regional seminar on Standards for the  
259 Training of Prosthetists: organized by the United Nations and the Government of Denmark with the  
260 co-operation of the International Committee on Prosthetics and Orthotics of the International  
261 Society for Rehabilitation of the Disabled. Holte, Denmark: United Nations; 1969.
- 262 6. Murdoch G. Editorial. *Prosthet Orthot Int*. 1984;8:65-6.
- 263 7. World Health Organisation. Guidelines for Training Personnel in Developing Countries for  
264 Prosthetic and Orthotic Services Geneva: World health Organisation; 1990.
- 265 8. World Health Organization. Guidelines for Training Personnel in Developing Countries for  
266 Prosthetics and Orthotics Services. Geneva: World Health Organization; 2004.
- 267 9. Malas BS. Category III Position Summary. ISPO; 2015.
- 268 10. International Society for Prosthetics and Orthotics. Category III Professional -  
269 Prosthetic/Orthotic Technician. Brussels, Belgium: International Society for Prosthetics and  
270 Orthotics; 2001.
- 271 11. McMulkin ML, Baird GO, Gordon AB, Caskey PM, Ferguson RL. The pediatric outcomes data  
272 collection instrument detects improvements for children with ambulatory cerebral palsy after  
273 orthopaedic intervention. *J Pediatr Orthop*. 2007;27(1):1-6.
- 274 12. International Society for Prosthetics and Orthotics. Category II Professional - Orthopaedic  
275 Technologist. Brussels, Belgium: International Society for Prosthetics and Orthotics; 2010.
- 276 13. World health Organisation. World Report on Disability. Geneva: World health Organisation;  
277 2011.
- 278 14. World Health Organization. Transforming and Scaling Up Health Professionals' Education and  
279 Training: World Health Organization Guidelines Geneva: World Health Organization; 2013. Report  
280 No.: 9789241506502.
- 281 15. Armstrong R, Hall BJ, Doyle J, Waters E. Cochrane Update. 'Scoping the scope' of a cochrane  
282 review. *J Public Health (Oxf)*. 2011;33(1):147-50.
- 283 16. Sexton S, Shangali H, Munissi B. The impact of training personnel to the minimum standards  
284 ISPO Category I & II: Tanzania Training Centre for Orthopaedic Technologists. Brussels, Belgium:  
285 International Society for Prosthetics and Orthotics; 2012.
- 286 17. Ash S, O'Connor J, Anderson S, et al. A mixed-methods research approach to the review of  
287 competency standards for orthotist/prosthetists in Australia. *International Journal of Evidence-  
288 Based Healthcare*. 2015;13(2):93-103.
- 289 18. Magnusson L, Ahlstrom G. Experiences of providing prosthetic and orthotic services in Sierra  
290 Leone--the local staff's perspective. *Disabil Rehabil*. 2012;34(24):2111-8.
- 291 19. Aminian G, O'Toole JM. Undergraduate prosthetics and orthotics programme objectives: A  
292 baseline for international comparison and curricular development. *Prosthetics and Orthotics  
293 International*. 2011;35(4):445-50.
- 294 20. Aminian G, O'Toole JM, Mehraban AH. Undergraduate prosthetics and orthotics teaching  
295 methods: A baseline for international comparison. *Prosthet Orthot Int*. 2015;39(4):278-85.

- 296 21. Heim S. The Knud Jansen Lecture: advances in prosthetic and orthotic education and training  
297 in developing countries: a personal view. *Prosthetics and Orthotics International*. 1995;19(1):20-30.
- 298 22. Lin RS. Distance Learning: An Innovative Approach to Orthotic and Prosthetic Education.  
299 *Journal of Prosthetics and Orthotics*. 2002;14(2):75-7.
- 300 23. Lusardi M, Levangie P, Fein B. A Problem-Based Learning Approach to Facilitate Evidence-  
301 Based Practice in Entry-Level Health Professional Education. *Journal of Prosthetics and Orthotics*.  
302 2002;14(2):40-50.
- 303 24. Liu Z, Zhang X, Ye Y, et al. Prosthetics and orthotics engineering professionals training mode  
304 and curriculum research and development. *IFMBE Proceedings*; 2008: A.
- 305 25. Shangali H. Development of training and education in rehabilitation technology in Tanzania.  
306 *Prosthetics and Orthotics International*. 2002;26(3):178-81.
- 307 26. Simpson D. The development of postgraduate education by open learning. *Journal of*  
308 *Prosthetics and Orthotics*. 2002;14(1):27-30.
- 309 27. Hovorka C, Shurr D, Bozik D. The Concept of an Entry-Level Interdisciplinary Graduate  
310 Degree Preparing Orthotists for the New Millennium Part 2: Master of Orthotic Science. *Journal of*  
311 *Prosthetics and Orthotics*. 2002;14(2):59-70.
- 312 28. Raschke SU, Ford N. Report on key points arising from visioning process on prosthetic and  
313 orthotic education done at the British Columbia Institute of Technology. *Journal of Prosthetics and*  
314 *Orthotics*. 2002;14(1):23-6.
- 315 29. Supan T. Residency Research, Part I: Why Should an Orthotic/Prosthetic Resident Conduct  
316 Research? *Journal of Prosthetics and Orthotics*. 1995;7(4):142-6.
- 317 30. Lin R. Residency Research, Part III: How to Do Research During Residency. *Journal of*  
318 *Prosthetics and Orthotics*. 1995;7(4):149.
- 319 31. Shurr D. Residency Research, Part II: Goals of Residency Research. *Journal of Prosthetics and*  
320 *Orthotics*. 1995;7(4):147-8.
- 321 32. Al Qaroot BS, Sobuh M. Does integrating research into the prosthetics and orthotics  
322 undergraduate curriculum enhance students' clinical practice? An interview study on students'  
323 perception. *Prosthet Orthot Int*. 2014.
- 324 33. Hafner BJ, Geil MD. Dissemination of state-of-the-science conference information to orthotic  
325 and prosthetic practitioners. *Journal of Prosthetics and Orthotics*. 2011;23(1):40-9.
- 326 34. Hussain S. Classroom learning environment in Pakistan Institute of Prosthetic and Orthotic  
327 Sciences: students' perspective. *Journal of Ayub Medical College, Abbottabad : JAMC*.  
328 2011;23(2):170-3.
- 329 35. Magnusson L, Ramstrand N. Prosthetist/orthotist educational experience & professional  
330 development in Pakistan. *Disability and rehabilitation Assistive technology*. 2009;4(6):385-92.
- 331 36. McFadyen AK, Webster VS, Maclaren WM, et al. Interprofessional attitudes and perceptions:  
332 Results from a longitudinal controlled trial of pre-registration health and social care students in  
333 Scotland. *J Interprof Care*. 2010;24(5):549-64.
- 334 37. Wong MS. A prospective study on the development of critical thinking skills for student  
335 prosthetists and orthotists in Hong Kong. *Prosthetics and Orthotics International*. 2007;31(2):138-46.
- 336 38. Wong MS, Lemaire ED, Leung AKL, et al. Enhancement of prosthetics and orthotics learning  
337 and teaching through e-Learning technology and methodology. *Prosthetics and Orthotics*  
338 *International*. 2004;28(1):55-9.
- 339 39. Kheng S. The challenges of upgrading from ISPO Category II level to Bachelor Degree level by  
340 distance education. *Prosthetics and Orthotics International*. 2008;32(3):299-312.
- 341 40. Guldmond NA, Leffers P, Schaper NC, et al. Comparison of foot orthoses made by  
342 podiatrists, pedorthists and orthotists regarding plantar pressure reduction in The Netherlands. *BMC*  
343 *musculoskeletal disorders*. 2005;6:61.

344

345

**Table 1: Type of Personnel as specified in the original Guidelines for Training Personnel in Developing Countries for Prosthetics and Orthotics Services <sup>8</sup>**

Category	Nomenclature	Normal minimum entry	Training
<i>Clinical staff</i>			
Category I	Prosthetist/orthotist (or equivalent term)	University entry level	4 years formal structured education leading to a university degree of equivalent
Category II	Orthopaedic Technologist	Usual national requirement for paramedical education	3 years formal structured education – lower than degree level
Category II (lower limb prosthetics)	Lower limb prosthetic technologist	Usual national requirement for paramedical education	1 year formal structured educations plus clinical experience in only lower limb prosthetics to Category II level
Category II (lower limb orthotics)	Lower limb orthotic technologist	Usual national requirement for paramedical education	1 year formal structured educations plus clinical experience in only lower limb orthotics to Category II level
Category II (upper limb prosthetics/orthotics and spinal orthotics)	Upper limb prosthetics/orthotics and spinal orthotics technologist	Usual national requirement for paramedical education	1 year formal structured educations plus clinical experience in only upper limb prosthetics/orthotics and spinal orthotics to Category II level
<i>Technical staff</i>			
Category III (not a service provider)	Technician (bench worker or equivalent term)	Usual national requirements for technical training	2 years formal structured or 4 years on-the-job or in-house training
Footnote: Component manufacture is an industrial production process which does not normally involve the above categories			



Table 2: Search terms and yield. Searches 1 to 6 were on the basis of title, abstract and keyword to increase sensitivity, search 7 was on basis of title and keyword to avoid excluding relevant papers. "\*" represents wild cards most commonly where derivative words can have a number of endings. Yields are illustrated with those from Scopus as combined yields are misleading given that duplicates were not removed until a later stage in the search.

	Category	Search terms	Yield (Scopus)
#1	Profession	prosthetist* or orthotist* or pedorthist* or ((prosthetic or orthotic) with (technol* or technic profession* or workforce or personnel or practitioner)) or orthop*dic with (technol* or technic* or engineer* or meister*)	2,628
#2	Prosthetics	(prosthe* or artificial) with (limb* or arm* or leg or extremity*) or amput*	14,324
#3	Orthotics	orthotic* or orthos?s or brace or braces or bracing or splint* or corset* or (cervical with collar*) or cal*iper*	87,700
#4	Foot Orthoses	insole or (shoe* with insert*) or ((medical or orthop*ed or modifi* or adapt*) with (shoe* or boot* or footwear))	2,749
#5	P&O	#1 or #2 or #3 or #4 or ISPO	105, 866
#6	Exclusions	animal or denta* or prostho* or orthod* or maxillofacial or *mandibul* or palate or orbital or retinal or breast or audito* or cochlear or (prosth* with voice) or penile or penis or vascular or heart or vessel or neural or cardiac or buckl* or seism* or "train station" or railway	9,754,109
#7		#5 not #6	78,112
#8		#7 from 1995 to 2015 inclusive	46,823
#9	Education and training	educat* or qualifi* or certif* or accredit* or category or train* or teach* or learn* or curricul*	1,911,912
#10	Final yield	#8 and #9	3,018

**Table 3: Distinctive explicit objectives of programmes from particular reasons (adapted from Aminian and O'Toole <sup>19</sup>)**

Items	Northern Europe	Middle East	Southern Asia	Oceania	North America
Synthesis of materials, critical thinking, intellectual curiosity and clinical reasoning	X			X	X
Integration of theory and practice	X	X		X	X
Information and communication technology				X	
Innovative teaching methods (PBL)	X			X	X
Student research	X		X	X	
Client-centred practice	X				
Situational analysis (of client environment)	X				
Innovative expertise	X			X	
Ethics and professional values	X		X	X	X
Internationalization	X	X			
Management and supervision		X	X		