



University of
Salford
MANCHESTER

Current status of *Clonorchis sinensis* and clonorchiasis in China

Lai, D, Hong, X, Su, B, Liang, C, Hide, G, Zhang, X, Yu, X and Lun, Z

<http://dx.doi.org/10.1093/trstmh/trv100>

Title	Current status of <i>Clonorchis sinensis</i> and clonorchiasis in China
Authors	Lai, D, Hong, X, Su, B, Liang, C, Hide, G, Zhang, X, Yu, X and Lun, Z
Type	Article
URL	This version is available at: http://usir.salford.ac.uk/id/eprint/37735/
Published Date	2016

USIR is a digital collection of the research output of the University of Salford. Where copyright permits, full text material held in the repository is made freely available online and can be read, downloaded and copied for non-commercial private study or research purposes. Please check the manuscript for any further copyright restrictions.

For more information, including our policy and submission procedure, please contact the Repository Team at: usir@salford.ac.uk.

Supplementary Table 1. The prevalence of human clonorchiasis, according to a range of local surveys in China, after the last national survey in 2003.

Province/city	Population Examined	infection	Prevalence % (mean)	Detection method	Years	Males examined	Males infected	Males infected %	Females examined	Females infected	Females infected %
Anhui ¹	720	3	0.42	Kato-katz	2008	360	2	0.56	360	1	0.28
Chongqing ²	2059	4	0.19	Kato-katz	2009						
Guangdong ³⁻⁴⁵	179756	15435	0.12-60.70(8.59)	Kato-katz or ELISA	2004-2012	76222	8179	10.73	65085	5029	7.73
Guangxi ⁴⁶⁻⁵⁸	144073	14234	1.19-56.58(9.88)	FECT, Kato-katz, ultrasound	2005-2014	33353	6976	20.92 ^b	21083	1511	7.17 ^b
Heilongjiang ^{59,60}	4177	518	0.28-21.75 ^a (12.40)	Kato-katz	2009-2012	3440	1157	33.63 ^b	1278	310	24.26 ^b
Hunan ^{61-63,c}	9313	3195	0.6-91.32(34.31)	Kato-katz	2006-2012	4134	1491	36.07	4099	1391	33.94
Jilin ^{64-68,c}	10694	1979	0.08-78.80(18.51)	FECT, Kato-katz	2006-2011	5532	1298	23.46 ^b	5162	675	13.08 ^b
Jiangsu ⁶⁹⁻⁷¹	10113	81	0.10-1.77(0.80)	Kato-katz	2005-2011	368	1	0.27	414	0	0
Liaoning ⁷²⁻⁷⁴	3972	123	0.46-17.6(3.10)	Kato-katz	2007-2011	1072	64	5.97	983	50	5.09
Shandong ^{75,76}	11580	10	0.06-0.37(0.08)	Kato-katz	2005-2009	1059	9	0.85	1092	1	0.09
Shanghai ⁷⁷	31239	0	0	Kato-katz	2005-2010						
Sichuan ⁷⁸	4016	4	0.1	Kato-katz	2005-2006						
Zhejiang ⁷⁹	821	19	0-6.32(2.31)	ELISA	2010						

^a40.44% of 2359 patients were positive with *C. sinensis* infection by ELISA detection in contrast to 21.75% by Kato-katz methods.

^bSignificantly higher infection rates were found in males than in females.

^cEndemic area data only in Hunan and Jilin provinces.

FECT: formalin ether concentration technique.

Supplementary Table 2: Prevalence of *Clonorchis sinensis* in various species of animal in China during the last decade.

Host type	Province/City	Species	Sample size	Positive	Prevalence%(mean)	Years	Detection Methods ^a
1 st intermediate host	Guangdong	<i>Alocinma longicornis</i> ⁸⁰⁻⁸²	865	14	0.88-8.24(1.62)	2002-2008	Microscopy and qPCR
		<i>Bithynia fuchsianus</i> ⁸⁰	97	12	12.37	2006-2008	qPCR
		<i>Parafossarulus sinensis</i> ⁸⁰	110	13	11.82	2006-2008	qPCR
		<i>Parafossarulus striatulus</i> ⁸⁰⁻⁸²	22352	104	0.28-20.10(0.47)	2002-2009	Microscopy and qPCR
	Hunan	<i>A. longicornis</i> ⁸³	27	2	7.41	2006-2009	Microscopy
		<i>P. striatulus</i> ⁸³	167	29	17.37	2006-2009	Microscopy
	Jiangsu	<i>A. longicornis</i> ⁸⁴	572	2	0.35	2006	Microscopy
		<i>P. striatulus</i> ⁸⁴	435	8	1.84	2006	Microscopy
	Liaoning	<i>P. striatulus</i> ⁷⁴	413	22	5.33	2007	Microscopy
	2 nd intermediate host	Anhui	<i>Carassius auratus</i> ⁸⁵	77	5	6.50	2003
<i>Criihina molitorella</i> ⁸⁵			39	1	2.60	2003	Microscopy
<i>Cyprinus carpio</i> ⁸⁵			65	4	6.20	2003	Microscopy
<i>Hypophthalmichthys molitrix</i> ⁸⁵			57	3	5.30	2003	Microscopy
<i>Parabramis pekinensis</i> ⁸⁵			26	0	0.00	2003	Microscopy
<i>Pseudorasbora parva</i> ⁸⁵			183	58	31.70	2003	Microscopy
Guangdong		<i>C. auratus</i> ^{6,33,86,87}	47	5	0-12(10.64)	2007-2012	Microscopy
		<i>Channa argus</i> ^{80,86,88}	104	15	0-16.60(14.42)	2005-2008	Microscopy and qPCR
		<i>Clarias fuscus</i> ^{86,89}	15	3	0-16.60(14.42)	2005-2008	Microscopy and qPCR
		<i>C. molitorella</i> ^{6,33,80,86-88,90,91}	541	170	0-52.10(31.42)	2005-2012	Microscopy and qPCR
		<i>Ctenopharyngodon idellus</i> ^{6,33,80-82,86-93}	1683	475	5.0-100(21.19)	2002-2012	Microscopy and qPCR
		<i>C. carpio</i> ^{80,86,88,89}	298	58	7.69-22.58(19.46)	2005-2009	Microscopy and qPCR
		<i>Fishes</i> ⁹⁴	25	4	16.00	2006	Microscopy
		<i>Hemiculter leucisculus</i> ⁹⁰	341	89	26.10	2006	Microscopy
		<i>H. molitrix</i> ^{81,82,86,87}	675	29	0-7.14(4.30)	2002-2008	Microscopy
		<i>Hypophthalmichthys nobilis</i> ^{6,33,80,86-88,90,91}	639	62	1.67-23.40(9.70)	2005-1012	Microscopy and qPCR
		<i>Micropterus salmoides</i> ⁸⁶	1	0	0.00	2007-2008	Microscopy
		<i>Monopterus albus</i> ⁸⁹	119	17	14.29	2008-2009	Microscopy
		<i>P. pekinensis</i> ⁸⁹	27	0	0.00	2008-2009	Microscopy
		<i>Parasilurus asotus</i> ^{86,89}	55	0	0.00	2007-2009	Microscopy
<i>P. parva</i> ^{81,82,89,90}	864	583	55.56-84.30(67.48)	2002-2009	Microscopy		
<i>Rhodeus sinensis</i> ^{81,82}	658	113	9.58-25.00(17.17)	2002-2007	Microscopy		

	<i>Shrimps</i> ^{5,90,92,94}	415	11	0-7.70(2.65)	2006-2012	Microscopy
	<i>Siniperca chuatsi</i> ⁸⁶	22	0	0.00	2007-2008	Microscopy
	<i>Spinibarbas yunnanensis</i> ³³	-	-	0.00	2007-2012	Microscopy
	<i>Tilapia mossambica</i> ^{33,80,86-88,90,91,93}	488	49	0-19.60(10.04)	2003-2012	Microscopy and qPCR
Guangxi	<i>C. auratus</i> ⁹⁵	1103	91	8.25	2008-2009	Microscopy
	<i>C. fuscus</i> ⁹⁵	67	4	5.97	2008-2009	Microscopy
	<i>Cranoglanis boudierius</i> ⁹⁵	71	0	0.00	2008-2009	Microscopy
	<i>C. molitorella</i> ⁹⁵	197	17	8.62	2008-2009	Microscopy
	<i>C. idellus</i> ⁹⁵	1352	172	12.72	2008-2009	Microscopy
	<i>C. carpio</i> ⁹⁵	981	79	8.05	2008-2009	Microscopy
	<i>Erythroculter hypselonotus</i> ⁹⁵	883	91	10.30	2008-2009	Microscopy
	<i>E. ilishaeformis</i> ⁹⁵	156	11	7.05	2008-2009	Microscopy
	<i>Gnathopogon argentatus</i> ⁹⁵	109	9	8.25	2008-2009	Microscopy
	<i>H. leucisculus</i> ^{95,96}	1766	283	11.25-17.70(16.02)	2006-2009	Microscopy
	<i>H. molitrix</i> ⁹⁵	563	60	10.65	2008-2009	Microscopy
	<i>H. nobilis</i> ⁹⁵	634	53	8.35	2008-2009	Microscopy
	<i>Longnose gudgeon</i> ⁹⁶	427	17	3.90	2006	Microscopy
	<i>Megalobrama skolkovii</i> ⁹⁵	57	3	5.26	2008-2009	Microscopy
	<i>Misgurnus anguillicaudatus</i> ⁹⁵	200	9	4.50	2008-2009	Microscopy
	<i>M. albus</i> ⁹⁵	200	5	2.50	2008-2009	Microscopy
	<i>Mystus guttatus</i> ⁹⁵	62	0	0.00	2008-2009	Microscopy
	<i>Onychosotoma gerlachi</i> ⁹⁵	93	7	7.52	2008-2009	Microscopy
	<i>Opsariichthys bidens</i> ⁹⁵	52	3	5.77	2008-2009	Microscopy
	<i>P. pekinensis</i> ⁹⁵	67	5	7.46	2008-2009	Microscopy
	<i>Pelteobagrus fulvidraco</i> ⁹⁵	279	3	1.07	2008-2009	Microscopy
	<i>Pseudohemiculter dispar</i> ⁹⁵	1207	195	16.15	2008-2009	Microscopy
	<i>Pseudolaubuca sinensis</i> ^{95,96}	1569	138	5.90-9.65(8.80)	2006-2009	Microscopy
	<i>P. parva</i> ⁹⁵	703	151	21.47	2008-2009	Microscopy
	<i>Ptychidio jordani</i> ⁹⁵	72	3	4.16	2008-2009	Microscopy
	<i>Saurogobio dabryi</i> ⁹⁵	1307	77	5.90	2008-2009	Microscopy
	<i>Sinilabeo decorus</i> ⁹⁵	73	5	6.85	2008-2009	Microscopy
	<i>Siniperca kneri</i> ⁹⁵	81	3	2.44	2008-2009	Microscopy
	<i>Siniperca scherzeri</i> ⁹⁵	117	3	2.56	2008-2009	Microscopy
	<i>Siniperca whiteheadi</i> ⁹⁵	60	0	0.00	2008-2009	Microscopy

	<i>Spualio barbatus Curriculus</i> ⁹⁵	783	92	11.74	2008-2009	Microscopy
	<i>T. mossambica</i> ⁹⁵	525	33	6.28	2008-2009	Microscopy
	<i>Xenocypris argentea</i> ⁹⁵	341	17	4.99	2008-2009	Microscopy
	<i>Xenocypris davidi</i> ⁹⁵	510	23	4.50	2008-2009	Microscopy
	<i>Zacco platypus</i> ⁹⁵	732	130	17.75	2008-2009	Microscopy
Heilongjiang	<i>C. auratus</i> ⁹⁷	68	25	36.76	2012	Microscopy
	<i>C. carpio</i> ⁹⁷	12	1	8.33	2012	Microscopy
	<i>M. anguillicaudatus</i> ⁹⁷	89	2	2.25	2012	Microscopy
	<i>P. asotus</i> ⁹⁷	21	0	0.00	2012	Microscopy
	<i>P. parva</i> ⁹⁷	181	72	39.78	2012	Microscopy
Hubei	<i>Fishes</i> ⁹⁸	1502	131	8.72	1985-2006	Microscopy
Hunan	<i>C. auratus</i> ^{83,99}	138	22	2.3-69.2(15.94)	2002-2006	Microscopy
	<i>C. idellus</i> ^{83,99}	56	3	0-9.38(5.36)	2005-2009	Microscopy
	<i>C. carpio</i> ^{83,99}	57	4	5.30-7.89(7.02)	2002-2009	Microscopy
	<i>H. molitrix</i> ⁹⁹	42	2	4.76	2002-2005	Microscopy
	<i>H. nobilis</i> ⁹⁹	36	3	8.33	2002-2005	Microscopy
	<i>P. pekinensis</i> ⁹⁹	45	5	11.11	2002-2005	Microscopy
Jiangsu	<i>Abbottina rivularis</i> ⁸⁴	125	8	6.40	2006	Microscopy
	<i>C. auratus</i> ¹⁰⁰	36	4	11.10	2004	Microscopy
	<i>C. idellus</i> ⁸⁴	62	0	0.00	2006	Microscopy
	<i>C. carpio</i> ⁸⁴	15	0	0.00	2006	Microscopy
	<i>Hemiculterella sauvagei</i> ¹⁰⁰	31	1	3.20	2004	Microscopy
	<i>H. molitrix</i> ⁸⁴	18	0	0.00	2006	Microscopy
	<i>M. anguillicaudatus</i> ¹⁰⁰	50	2	4.00	2004	Microscopy
	<i>P. pekinensis</i> ¹⁰⁰	30	2	6.70	2004	Microscopy
	<i>Procambarus clarkii</i> ¹⁰⁰	50	1	2.00	2004	Microscopy
	<i>P. parva</i> ^{84,100}	353	208	72.10-57.10(58.92)	2004-2006	Microscopy
	<i>R. sinensis</i> ¹⁰⁰	58	11	19.00	2004	Microscopy
Liaoning	<i>A. rivularis</i> ^{101,102}	580	532	88.30-95.80(91.72)	2004-2009	Microscopy
	<i>Canthorhodeus chankaensis</i> ^{101,102}	160	2	1.25	2004-2009	Microscopy
	<i>C. auratus</i> ^{74,103,104}	962	79	0-44.90(8.21)	2007-2011	Microscopy
	<i>C. idellus</i> ^{74,103,104}	75	9	10-28.57(12)	2007-2011	Microscopy
	<i>C. carpio</i> ^{73,74,101-104}	159	16	0-25.47(10.06)*	2004-2011	Microscopy
	<i>Erythroculter ilishae formis</i> ¹⁰³	93	57	61.59	2009	Microscopy

	<i>Gobio macrocephalus</i> ⁷⁴	119	9	7.56	2007	Microscopy
	<i>H. leucisculus</i> ⁷⁴	197	37	18.78	2007	Microscopy
	<i>H. molitrix</i> ¹⁰¹⁻¹⁰⁴	97	4	0-8.57(4.12)	2004-2011	Microscopy
	<i>H. nobilis</i> ¹⁰³	33	7	21.21	2009	Microscopy
	<i>M. anguillicaudatus</i> ^{74,101}	41	0	0.00	2007-2009	Microscopy
	<i>P. asotus</i> ⁷⁴	7	0	0.00	2007	Microscopy
	<i>P. asotus</i> ¹⁰¹⁻¹⁰³	83	7	0-15.38(8.43)	2008-2011	Microscopy
	<i>P. fulvidraco</i> ^{74,101}	83	7	0-13.21(8.43)	2007-2009	Microscopy
	<i>Percottus glehni</i> ¹⁰³	102	76	74.51	2009	Microscopy
	<i>Phoxinus lagowskii</i> ¹⁰³	65	1	1.54	2009	Microscopy
	<i>P. parva</i> ^{73,74,101-104}	1393	1046	42.20-98.41(75.09)	2004-2011	Microscopy
	<i>Rhinogobius giurinus</i> ^{101,102}	115	16	13.30-14.00(13.91)	2004-2009	Microscopy
	<i>S. dabryi</i> ⁷⁴	48	24	50.00	2007	Microscopy
	<i>Shrimps</i> ¹⁰⁴	50	0	0.00	2011	Microscopy
Shanghai	<i>A. rivularis</i> ⁷⁷	155	0	0.00	2005-2010	Microscopy
	<i>C. auratus</i> ⁷⁷	203	0	0.00	2005-2010	Microscopy
	<i>C. argus</i> ⁷⁷	27	0	0.00	2005-2010	Microscopy
	<i>Crucians</i> ⁷⁷	412	0	0.00	2005-2010	Microscopy
	<i>C. carpio</i> ⁷⁷	69	0	0.00	2005-2010	Microscopy
	<i>H. leucisculus</i> ⁷⁷	608	14	2.30	2005-2010	Microscopy
	<i>M. albus</i> ⁷⁷	304	0	0.00	2005-2010	Microscopy
	<i>P. fulvidraco</i> ⁷⁷	65	0	0.00	2005-2010	Microscopy
	<i>P. clarkii</i> ⁷⁷	740	0	0.00	2005-2010	Microscopy
	<i>P. parva</i> ⁷⁷	613	48	7.83	2005-2010	Microscopy
	<i>R. sinensis</i> ⁷⁷	667	9	1.35	2005-2010	Microscopy
	<i>Shrimps</i> ⁷⁷	212	0	0.00	2005-2010	Microscopy
Zhejiang	<i>A. rivularis</i> ⁷⁹	242	86	35.53	2009-2011	Microscopy
	<i>P. parva</i> ⁷⁹	254	49	19.29	2009-2011	Microscopy
Fujian	<i>Dogs</i> ¹⁰⁵	526	11	2.09	2009-2010	Autopsy or Microscopy
Gansu	<i>Cats</i> ¹⁰⁶	57	4	7.02	2008-2009	Autopsy or Microscopy
Definitive host	<i>Dogs</i> ¹⁰⁶	256	4	0.97	2008-2009	Autopsy or Microscopy
Guangdong	<i>Cats</i> ^{6,81,82}	86	44	0-100(51.16)	2002-2012	Autopsy or Microscopy
	<i>Dogs</i> ^{6,81,82}	203	47	17.45-50(23.15)	2002-2012	Autopsy or Microscopy

Hunan	<i>Cats</i> ¹⁰⁷	57	12	21.05	2006-2007	Autopsy or Microscopy
	<i>Dogs</i> ^{83,107,108}	1910	213	8.03-85.70(11.15)	2006-2009	Autopsy or Microscopy
Jiangsu	<i>Cats</i> ⁸⁴	30	22	73	2006	Autopsy or Microscopy
	<i>Dogs</i> ⁸⁴	10	6	60	2006	Autopsy or Microscopy
Jilin	<i>Dogs</i> ⁶⁵	11	3	27.3	2006-2009	Autopsy or Microscopy
Liaoning	<i>Cats</i> ¹⁰¹	6	0	0	2008-2009	Autopsy or Microscopy
	<i>Dogs</i> ^{101,109,110}	1240	49	2.40-17.50(3.95)	2008-2010	Autopsy or Microscopy

^aMicroscopy implies detection of any larva stages in 1st or 2nd intermediate host, or eggs in definitive host; qPCR indicates detection of DNA sample; autopsy implies detection on adult worms in liver of definitive host.

Supplementary References

1. Tian LG, Cheng JG, Chen JX, et al. Survey on co infection with HIV and intestinal parasites in high prevalence areas of HIV/AIDS, China. *Chin J Schisto* 2012;24:167-72.
2. Luo C, Chen JR, Ran ZW, et al. Survey of soil-borne nematode infection in rural areas in Wanzhou District of Chongqing. *Chin Trop Med* 2011;11:428-9.
3. Yuan HH, Diao HP. Baseline investigation on clonorchiasis in Longchuan county. *Chin J PHM* 2009;25:527-8.
4. He XQ, Qiu SY, Yan WQ. Analysis of intestinal parasitic infection in patients of Huizhou Municipal Hospital. *Chin Trop Med* 2010;10:827,830.
5. He QY, Yang QQ, Shen HX, et al. Survey of parasitic infection in Liangkou township of Conghua city. *Chin Trop Med* 2013;13:296-9.
6. Liu YH, Yin BK, Zheng NC, et al. Investigation of the epidemiological characteristic of clonorchiasis in Jiangmen Pengjiang District. *J Trop Med* 2012;12:1385-7.
7. Huang YX, Zhong RY. Investigation of hepatic distomiasis among the governmental unit staff members in Wuhua country of Guangdong province. *Occup & Health* 2008;24:559-60.
8. Zeng KW, Lv CM, Yang ZZ, et al. Monitoring of clonorchiosis in Zhongshan municipal integrated hospitals in 2007-2009. *Chin Trop Med* 2011;11:572-3.
9. Tan LY, Chen SL. Analysis on physical examination of elders in a town of Zhongshan. *Lab Med Clin* 2013;10:2744-5.
10. Lin SR. Status of clonorchiasis in primary and middle school students in Fusha town. *Contemporary Med* 2014;20:162-3.
11. He ZY, Deng CJ, Huang L, et al. Investigation of chronic noncommunicable diseases in the town of Sha Tou. *Chin Mod Doc* 2014;52:81-3.
12. Liu Y, Ma ZC, Gao ST, et al. Serological survey of infection status of clonorchiasis in Baoan district, Shenzhen city. *Chin Trop Med* 2007;7:1420-1.
13. Chang GF, Zhu Y, Liu Y, et al. Serological survey of *Clonorchis sinensis* infection in Baoan district of Shenzhen city. *Occup & Health* 2011;27:1122-3.
14. Gao ST, Li XH, Yuan Q, et al. Prevalent status and trend of intestinal parasitic infection among residents in Baoan district of Shenzhen city. *Chin Trop Med* 2012;12:441-4.
15. Chen YX, Chen B, Zhou XT, et al. Survey on the infection status of intestinal parasites among residents, Baoan district of Shenzhen city, 2012. *Prev Med Trib* 2014;20:580-1,584.
16. Yuan Q, Yan XF, Gao ST, et al. Status of *Clonorchis sinensis* infection and its influencing factors among migrant workers in Baoan district, Shenzhen city. *Chin J Schisto Control* 2013;25:102-3,105.
17. Zhong YW, Zhang QW, Wang KL, et al. A survey of the status and influencing factors of intestinal parasitic among residents in Longgang district of Shenzhen city. *Occup & Health* 2014;30:83-5.
18. Gao ST, Zhang RL, Huang DN, et al. A survey of parasites infection among outpatients in hospital in Shenzhen. *Chin Trop Med* 2008;8:1973-4.
19. Dai CW, Yu MH, Xu YZ, et al. Epidemiological Studies of *Chonorchis sinensis* in the Groups in Nanshan District of Shenzhen City. *J Trop Med* 2007;7:183-4.
20. Wen JX, Huang DN, Zhang RL, et al. Status of *Clonorchis sinensis* infection in focus groups in Shenzhen. *Chi Trop Med* 2009;9:2279,2231.
21. Lin YF, Xu GH, Yang PX, et al. Status of intestinal parasitic infection in primary and middle school students in Qingyuan city. *J Appl Prev Med* 2015;21:98-9.
22. Huang WX, Huang ZX, Wu NJ, et al. Analysis of *Clonorchis sinensis* in Foshan in different age and sex groups distribution. *J Med Pest Control* 2010;26:48-9.
23. Zhang KB, Wang FJ, He XY, et al. Liver fluke antibody screening on employer in Shunde district, Guangdong. *Jiangxi J Med Lab Sci* 2007;25:565-6.

24. Tan D, Yu ZW, Ma JQ, et al. The survey of clonorchis infection statue and life style on some occupation groups in Shunde district. *J Trop Med* 2011;10:886-8.
25. Li YX, Zhu JY. Investigation on clonorchiasis in employer from Shunde district. *Proc Nation Symp Parasitol Trop Med* 2008;1:55.
26. Yi M. Analysis of clonorchiasis in different age and sex groups, an example in Sanshui district, Foshan city. *Hosp Manag* 2013;512:144-5.
27. Liang XJ, Xiao B, Huang RL, et al. Investigation on supplying water and sanitation of rural school in one district of Foshan city. *Chin J School Doctor* 2009;23:277-8,280.
28. Yang YQ, Zhang QL, Liang TW, et al. Analysis of the parasitic infection of hospital patients in Foshan. *J Trop Med* 2013;13:920-2.
29. Li PM, Chen LN, Zeng JH, et al. Investigation on intestinal parasitic infection of kindergarten children in Shipai town. *J Pract Med Tech* 2007;14:1630-1.
30. Wu LL. Infection situation of human intestinal parasites in Kaiping city in 2010. *Occup & Health* 2011;27:2724-6.
31. Yang SK, Xu YT, Liu SQ, et al. Epidemiological survey and analysis of positive rate of *Clonorchis sinensis* infection by stool examination in Xiangqiao district of Chaozhou. *J Trop Med* 2011;11:1066-8.
32. Huang XH, Li ZQ, Fang YY, et al. Effect of comprehensive control demonstration plot of cionorchiasis in Yangshan county in 2006-2009. *Chin J Schisto Control* 2011;23:569-71.
33. Li GL, Li WQ, Cai WE, et al. Investigation on residents' life habit and living environment in relevant to clonorchiasis in Panyu district. *For all Health* 2013;7(20):48.
34. Huang JY, Tan ZX, Cai MW, et al. Test and analysis on infection of *Clonorchis sinensis* in Liwan district of Guangzhou. *J Trop Med* 2014;14:1105-6,1115.
35. Zhao LQ, Li XE. Epidemiological study of *Clonorchis sinensis* infection in public servant living in Haizhu district in 2005. *J Trop Med* 2006;6:1301-2.
36. Yuan JF, Yuan J, Luo Y, et al. Clonorchiosis epidemic situation and control strategy in Huadu district, Guangzhou. *J Guangxi Univ Chin Med* 2012;15:116-8.
37. Zhang H, Liu XN, Ren WF, et al. Analysis of helminth infection status and epidemic characteristics in Guangzhou from 2004 to 2007. *J Trop Med* 2008;8:1077-80.
38. Liu XN, Zhang H, Ren WF, et al. Analysis of *Clonorchis sinensis* and geohelminthes prevalence in Guangzhou from 2006 to 2010. *J Trop Med* 2011;11:1312-3,1340.
39. Zhang WY, Li W, Zhang X, et al. Serological analysis of *Clonorchis sinensis* infection in partial population of Guangzhou City from 2007 to 2009. *Chin Trop Med* 2011;11:182-3.
40. Wang LG, Di Y. Investigation on clonorchiasis situation in different populations in Guangzhou. *Chin J Convelescent Med* 2007;16:129-30.
41. Tang QH. Infection report on the digestive tract parasites in Guangzhou. *Lab Med Clin* 2013;10:992-3.
42. Luo LW, Bi YL. Statues of liver fluke in Guangdong province in 2004-2006. *Chin Trop Med* 2008;8:616-7.
43. Liu MQ, Gao ST, Gen YJ, et al. Investigation of the status of *Clonorchis sinensis* infection in Shenzhen areas. *Chin Trop Med* 2006;6:396-7.
44. Qian MB, Chen YD, Fang YY, et al. Epidemiological profile of *Clonorchis sinensis* infection in one community, Guangdong, people's republic of China. *Parasites & Vectors* 2013;6:194-201.
45. Jiao L, Chen B, Zhou BQ, et al. Epidemiological investigation and analysis of risk factors of *Clonorchis sinensis* infection in rural area of Zhuhai city in 2010. *J Trop Med* 2012;12:224-6.
46. Su LJ, He LP, Lu ZB, et al. Analysis of the result of surveillance on intestinal parasites in Wuming County. *J Trop Med* 2010;10:1008-10.
47. Huang GL, Qv FQ, Wu TM, et al. Survey on human parasitic infection in Pingle County Guangxi Province. *J Guangxi Med Univ* 2012;29:481-2,485.

48. Tan DY, Wei YL. Investigation on clonorchiosis in Yusheng consumer in Hechi City. *Chin J Pest Control* 2012;28:816.
49. Shen JQ, Wang J, Tan YG, et al. Analysis of parasites infection in a part of the outpatients from the hospital in Nanning city of Guangxi province. *Prev Med Trib* 2012;18:343-5.
50. Zhang XJ, Yang FF, Lin R, et al. Survey on current status of parasites infection in surrounding counties of Nanning of Guangxi province in China. *J Guangxi Med Univ* 2011;28:650-2.
51. Hu Y, Li YW, Shi HH. Investigation on intestinal helminth infection in primary school students in Nanning city. *Chin Matern Child Health Care* 2013;28:1638-40.
52. Lu ZC, Hu Y, Liu XQ, et al. Analysis intestinal parasitic infection status of 12313 cases of hospital patients in Nanning city of Guangxi province. *J Trop Med* 2015;15:667-80.
53. Li XM, Gu MH, Su QH, et al. The value of abdominal ultrasound in physical examination. *J Youjiang Med College Nationalities* 2008;30:1051-2.
54. Hu Y, Li XM, Lu ZC. Analysis of *Clonorchis sinensis* infection and clinical feature of patients seen in hospital. *J Pathog Biol* 2012;7:439,458-60.
55. Hu Y, Lu ZC, Shi HH, et al. Survey of intestinal parasitic infections in hospitalized patients. *Chin Trop Med* 2012;12:1382-3,1395.
56. Zeng XM, Liang JM, Wei LL. Serological analysis of infection status of clonorchiasis among in-service staff in Guangxi. *Chin Trop Med* 2015;15:257-8.
57. Jeon HK, Lee DM, Park H, et al. Human infections with liver and minute intestinal flukes in Guangxi, China: analysis by DNA sequencing, ultrasonography, and immunoaffinity chromatography. *Korean J Parasitol* 2012;50:391-4.
58. Huang J, Liang QH, Zhu SS, et al. Analysis on clonorchiasis of government staff in Guangxi. *Chin J Ethnomed ethnopharm* 2012;21(9):74.
59. Han S, Zhang XL, Wen JS, et al. A combination of the kato-katz methods and ELISA to improve the diagnosis of clonorchiasis in an endemic area, China. *PLoS ONE* 2012;7:e46977.
60. Shi J, Yin YS, Wang JH, et al. Investigation and analysis on parasitic infection situation in students. *Health Voc Edu* 2013;31(20):106-7.
61. Deng CY. Analysis on liver fluke infection in population from three regions of Qiyang County. *Chin & Foreign Med Res* 2011;9(25):56-7.
62. Yi DL, Xu LL, Duan JH, et al. Qiyang liver fluke disease epidemiology investigation report. *For All Health* 2014;8(18):21-2.
63. Chen PH, Duan JH, Tang Y, et al. Study on risk factors and comprehensive control and prevention mode of *Clonorchis sinensis* infection in high-risk areas in Hunan province. *Pract Prev Med* 2012;19:345-8.
64. Gao R, Sun AF, Gao F, et al. Investigation on clonorchiasis in Moonlake residents. *MMIC* 2007;9:109.
65. Yang XY, Li YX, Bai YS, et al. Epidemiological investigation on *Clonorchis sinensis* infection in Nenjiang river basin of Zhenlai county, Jilin province by modified kato-Katz thick smear method. *Chin J Lab Diagn* 2011;15:1721-2.
66. Chen LN, Shen H, Jin LZ, et al. Stool examination for human parasites in Yanbian district. *Parasit Infect Dis* 2013;11:116-9.
67. Yin Q, Yang F, Wang BH, et al. Survey on clonorchiasis in Fuyu County in 2009. *Chin J Schisto Control* 2011;23:598-9.
68. Ge MX, Gao LY, Wang BH, et al. Investigation on the infection of *Clonorchis sinensis* disease in western regions of Jilin province. *Chin J Public Health Eng* 2008;7:110-3.
69. Zuo YH, Yang WZ, Jia CY. Epidemiological survey of clonorchiasis in Jinhu county of Jiangsu province. *Chin Trop Med* 2012;12:1256-7.
70. Song XL. 2007-2011 Jinhu county intestinal parasitic disease monitoring report. *Chin J School Doctor* 2012;26:760-2.
71. Suo GH, Zhang ZC, Li HM, et al. Epidemiological investigation on clonorchiasis in Xinyi city. *J Pathog Biol* 2008;3(2):1-2.

72. Lv G, Wang QD. Epidemiology on parasitosis in Korean ethnic group from Shenbeixinqu. *Chin J Health Lab Tech* 2012;22:940.
73. Sun XL, Zhou BS, Xu JF, et al. Korean populated areas liver fluke infection status quo investigation. *Chin J Public Health* 2009;125:216.
74. Li Y. Analysis on Liaoning province clonorchiasis focus of infection in endemic areas. Master Pub health Sci Thesis, Jilin Univ. 2008.
75. Wang ZW, Liu X, Deng XL, et al. Investigation on soil-transmitted nematode and liver fluke infections of Shandong receiving water regions by South-to-North Water Diversion. *Chin Trop Med* 2009;9:34-6.
76. Zhao LQ, Zhang P, Li XA, et al. Prevalence of intestinal parasitic infection among middle and primary school students in Jinan country of 2000-2009. *J Pathog Biol* 2012;7:930-41.
77. Zhang XP, Jiang SF, Hong GB, et al. Investigation on food contamination with parasites in Shanghai market. *Chin J Schisto Control* 2012;24:404-9.
78. Xie H, Tian HC, Tang ZJ, et al. Intestinal nematodiasis situation in Sichuan Province in 2005 and 2006. *Parasito & Infect Dis* 2008;6:21-4.
79. Yang TT, Yao LN, Yao SR, et al. Assessment of *Clonorchis sinensis* epidemic trends and its natural epidemic focus in northern area of Zhejiang Province. *Zhejiang Prev Med* 2011;23:17-8,22.
80. Huang FY, Zhang QW, Geng YJ, et al. Investigation into infection route and factors associated with *Clonorchis sinensis* infection in freshwater fish in Shenzhen city. *Chin Trop Med* 2009;9:114-6.
81. Zou XH, Chen LG, He LJ, et al. A survey of *Clonorchis sinensis* infection in Wujiang district of Shaoguan city. *J Trop Med* 2008;8:1285-6,1293.
82. Zou XH, He LJ, Luo JP, et al. Survey of *Clonorchis sinensis* in Zhenjiang district of Shaoguan city. *Chin Trop Med* 2007;7:2089-90.
83. Tang R. Status of *Clonorchis sinensis* infection and analysis of determinant factors in high risked area in Hunan Province. Master MPH Thesis. Central South Univ 2010.
84. Zhang ZC, Suo GH, Lou PA, et al. Investigation of *Clonorchiasis* intermediate host and reservoir hosts infection in Xinyi city. *Chin J School Doctor* 2007;21:426.
85. Cai R, Li CP, Wang J, et al. Survey of infectious status of fresh water fish with *Opisthorchis sinensis* in Huainan area. *Chin J Parasitol Parasit Dis* 2005;23:39.
86. Wang Z, Huang W, Pan LB, et al. Investigation on the pollution of aquatic products in Shenzhen from 2006 to 2008. *Chin J Food Hyg* 2010;22:165-7.
87. Chao B, Zhang XC, Lin RX, et al. A survey on the liver fluke infection in an administrative Jiangmen city. *J Trop Med* 2010;10:339-41.
88. Huang DN, Gao ST, Geng YJ, et al. Investigation of *Clonorchis sinensis* infection in freshwater fish in Shenzhen city. *J Trop Med* 2006;6:42-4.
89. Huang XH, Li ZQ, Zhang XJ, et al. Survey of *Clonorchis sinensis* infection in freshwater fish at eatery in Yangshan County. *J Trop Med* 2010;10:896-7.
90. Liu XD, Zhu CH, Li YL, et al. Investigation on infection of *Clonorchis sinensis* in freshwater fishes and shrimps from Sanshui and Zhongshan of Guangdong province. *Prac Prev Med* 2007;14:84-85.
91. Che YC, Chen JJ, Lan YY, et al. Investigation on the infection of encysted metacercariae of *Clonorchis sinensis* in two kinds of freshwater fish from Huizhou City in 2008. *Prev Med Trib* 2009;15:212-3.
92. Zhang YL, Feng YJ, He JY, et al. Foodborne parasitic infection in Guangzhou area-prevention and treatment strategies. *J Trop Med* 2006;6:1282-4.
93. Liang BF, Zhong YF, Cai YT, et al. Survey of infection status of *Clonorchis sinensis* in freshwater fish in Dongguan city of Guangdong province. *Chin Trop Med* 2009;9:521-2.
94. Mao XW, Chen KC, Li YY, et al. Study and Surveillance on Hygienic Condition of Aquatic Products in Guangzhou in 2006. *Chin J Food Hyg* 2008;20:224-7.
95. Shen HG, Zhou ZZ, He QB, et al. Investigation on the fish infected metacercaria of liver flukes in the Liujiang river. *Mod Prev Med* 2010;37:1549-52.
96. Shen HG, Zhou ZZ, He QB. Investigation on the fish infected metacercaria of liver flukes in the Liujiang river. *Guangxi Med J* 2008;30:1037-9.

97. Sun YH, Zhang H, Liu JX. Investigation of *Clonorchis sinensis* metacercaria infection in freshwater fish in integrated markets of Qiqihar city. J Qiqihar Univ Med 2014;35:860-1.
98. Xu ZM, Zhou ZZ, Wu XY, et al. The changes on the infection rate of *Opisthorchis sinensis* cyst in second intermediate host and ecological environment analysis. J Pathog Biol 2007;2:61-6.
99. Wang PH, Tang SL, Li L. Survey of infectious status of fresh water fish with *Opisthorchis sinensis* in Yongzhou city, Hunan province. Chin Trop Med 2006;6:597-8.
100. Yuan HX, Gao S, He YP, et al. Survey of infectious status of fresh water fish and shrimps with *Opisthorchis sinensis* in Suzhou area. Chin J Parasit Dis Con 2005;18:399.
101. Zheng LL, Zhang F, Qin YH, et al. Epidemiological investigation on *Clonorchiasis* in Wafangdian area. J Dalian Med Univ 2010;32:182-4.
102. Cui Y, Zheng LL, Chen FY, et al. Epidemic analysis of *Cionorchis sinensis* infection in Dalian city. Chin J Public Health 2006;22:1086-7.
103. Liu G, Yu JL, Xu P, et al. Survey of infectious status of fresh water fish with *Opisthorchis sinensis* in Jinzhou city. Chin J Zoon 2010;26:714-5.
104. Yang S, Liu X, Liu XG. Survey of infectious status of fresh water fish and shrimps with *Opisthorchis sinensis* in Shenyang city. Ani Husb & Vet Med 2012;44:105-6.
105. Lin X, Yu X. Survey of gastrointestinal parasites in dogs in Fuzhou. Fujian Xu Mu Shou Yi 2015;37:7-10.
106. Lu WY, Ha L, Cao LP. Investigation into intestinal parasites infections in clinic dogs and cats in Lanzhou city. Chin J Anim Infect Dis 2010;18:72-4.
107. Tang W. Investigation on domestic dog and cat gastro-Intestinal tract parasite etiology of Hunan Yongzhou area. J Anhui Agri Sci 2008;36:9071-2.
108. Li ZY. The investigation on gastrointestinal parasites of dogs in Hunan province. Master Vet Sci Thesis Hunan Agri Univ, 2007.
109. Zhou ZT. Survey of parasite prevalence in dogs in Jinzhou area. Chin Livestock & Poultry Breed 2014;10:99-100.
110. Lin M. Epidemiological investigation on gastrointestinal parasites of dogs in Jinzhou and treatment test. Master Vet Sci Thesis Jilin Univ, 2010.