



University of  
**Salford**  
MANCHESTER

# The association between *Toxoplasma gondii* infection and postpartum blues


Gao, J-M, He, Z-H, Xie, Y-T, Hide, G, Lai, D-H and Lun, Z-R

<http://dx.doi.org/10.1016/j.jad.2019.03.013>


<b>Title</b>	The association between <i>Toxoplasma gondii</i> infection and postpartum blues
<b>Authors</b>	Gao, J-M, He, Z-H, Xie, Y-T, Hide, G, Lai, D-H and Lun, Z-R
<b>Type</b>	Article
<b>URL</b>	This version is available at: <a href="http://usir.salford.ac.uk/id/eprint/50675/">http://usir.salford.ac.uk/id/eprint/50675/</a>
<b>Published Date</b>	2019

USIR is a digital collection of the research output of the University of Salford. Where copyright permits, full text material held in the repository is made freely available online and can be read, downloaded and copied for non-commercial private study or research purposes. Please check the manuscript for any further copyright restrictions.

For more information, including our policy and submission procedure, please contact the Repository Team at: [usir@salford.ac.uk](mailto:usir@salford.ac.uk).



**Figure S1A.** Quantitative comparison between *Toxoplasma gondii* immunoglobulin (IgG) optical density (OD) and Hamilton Depression Scale (HAMD) score in all new mothers (n=475). There is no significant correlation between IgG optical density and HAMD score ( $p = 0.872$ ).



**Figure S1B.** Quantitative analysis of all *Toxoplasma gondii* seropositive new mothers (n=27) by comparison of immunoglobulin (IgG) optical density (OD) and Hamilton Depression Scale (HAMD) score in the same mothers. There is no significant correlation between IgG optical density and HAMD score ( $p= 0.214$ ).